ngs plasmid: 200 100 50 25 12.5

ctris { HPV-18 HPV-31 B-1 to B-5 B-6 to B-10 B-11 to B-15

B-16 and B-17

CHPV-16




FIG. 1

ngs plasmid: 200 100 50 25 12.5

ctrls HPV-16 blank, B-1 to B-3 B-4 to B-7 B-8 to B-11 B-12 to B-15 B-16, B-17




FIG. 2

ngs plasmid: 200 100 50 25 12.5

ctrls HPV-18 B-1 to B-5 B-6 to B-10 B-11 to B-15 B-16 and B-17




FIG. 3

ngs plasmid: 200 100 50 25 12.5

ctrls HPV-31

B-1 to B-5 B-6 to B-10 B-11 to B-15 B-16 and B-17




FIG. 4

ngs plasmid: 200 100 50 25 12.5

ctrls HPV-16

B-1 to B-5 B-6 to B-10 B-11 to B-15 B-16 and B-17




FIG. 5

ngs plasmid: 200 100 50 25 12.5

ctrls HPV-18

B-1 to B-5 B-6 to B-10 B-11 to B-15 B-16 and B-17




FIG. 6

copies pBR322

B-1 to B-5 B-6 to B-10 B-11 to B-15 B-16 and B-17





FIG. 7






FIG. 8B









FIG. 9











lysate-pulsed




FIG. 12A

## 7/12

## GST-E6 pulsed




FIG. 12B

## AAV/E6/Neo pulsed







FIG. 12C







## 10/12

		DC	DC	DC
Mabs	DC	lysate	GST-E6	AAV/E6/Neo
CD14	-/-	-/-	-/-	- / -
HLA-DR	++/-	+++/-	+++/-	+++/-
CD40	++/-	++/-	++/-	+ + /-
CD80	++/-	++/-	++/-	<u>+++/-</u>
CD83	++/-	++/-	++/-	+ + /-
CD86	++/-	++/-	<u>+++/-</u>	+ + /-

FIG. 15

